



Re: Submittal Letter of Compliance

Frametek Steel Products submits this letter to confirm compliance with the plans and specifications. We will provide materials that meet or exceed the following specifications;

All materials meet ASTM A1003 or ASTM A653, Grade 33 or Grade 50 as specified with G-40, G-60 or G-90 minimum zinc coating thickness.

12 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90
14 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90
16 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90
18 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90
20 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90
25 ga material meets ASTM A1003 or ASTM A653,SS Grade 50, G-60 or G-90

All steel products conform to ASTM C645 and/or ASTM C955. All steel products comply with AISI specifications for steel members, latest edition. All special bent products: 10 ga to 25 ga including flat strap, angels, clips and special brake shapes are made from steel meeting ASTM A1003 and ASTM A653 standards.

Frametek Steel Products is a full member of the Steel Framing Industry Association and is listed on the CCR-0224. We can supply copies of the "Product Technical Information" catalogs from the Steel Framing Industry Association if needed.

All steel products by Frametek are produced in our Southern California facility in Riverside from prime coil that has been ordered properly for making steel framing products. We supply complete documentation, including mill test reports upon request.

1495 Columbia Ave., Bldg. 4, Riverside CA 92507 Phone (951) 369-5204 Fax (951) 369-3225
www.frameteksteel.com